

Alibaba Cloud E-MapReduce

Pricing

Issue: 20190514

Legal disclaimer

Alibaba Cloud reminds you to carefully read and fully understand the terms and conditions of this legal disclaimer before you read or use this document. If you have read or used this document, it shall be deemed as your total acceptance of this legal disclaimer.








1. You shall download and obtain this document from the Alibaba Cloud website or other Alibaba Cloud-authorized channels, and use this document for your own legal business activities only. The content of this document is considered confidential information of Alibaba Cloud. You shall strictly abide by the confidentiality obligations. No part of this document shall be disclosed or provided to any third party for use without the prior written consent of Alibaba Cloud.
2. No part of this document shall be excerpted, translated, reproduced, transmitted, or disseminated by any organization, company, or individual in any form or by any means without the prior written consent of Alibaba Cloud.
3. The content of this document may be changed due to product version upgrades, adjustments, or other reasons. Alibaba Cloud reserves the right to modify the content of this document without notice and the updated versions of this document will be occasionally released through Alibaba Cloud-authorized channels. You shall pay attention to the version changes of this document as they occur and download and obtain the most up-to-date version of this document from Alibaba Cloud-authorized channels.
4. This document serves only as a reference guide for your use of Alibaba Cloud products and services. Alibaba Cloud provides the document in the context that Alibaba Cloud products and services are provided on an "as is", "with all faults" and "as available" basis. Alibaba Cloud makes every effort to provide relevant operational guidance based on existing technologies. However, Alibaba Cloud hereby makes a clear statement that it in no way guarantees the accuracy, integrity, applicability, and reliability of the content of this document, either explicitly or implicitly. Alibaba Cloud shall not bear any liability for any errors or financial losses incurred by any organizations, companies, or individuals arising from their download, use, or trust in this document. Alibaba Cloud shall not, under any circumstances, bear responsibility for any indirect, consequential, exemplary, incidental, special, or punitive damages, including lost profits arising from the use

or trust in this document, even if Alibaba Cloud has been notified of the possibility of such a loss.

5. By law, all the content of the Alibaba Cloud website, including but not limited to works, products, images, archives, information, materials, website architecture, website graphic layout, and webpage design, are intellectual property of Alibaba Cloud and/or its affiliates. This intellectual property includes, but is not limited to, trademark rights, patent rights, copyrights, and trade secrets. No part of the Alibaba Cloud website, product programs, or content shall be used, modified, reproduced, publicly transmitted, changed, disseminated, distributed, or published without the prior written consent of Alibaba Cloud and/or its affiliates. The names owned by Alibaba Cloud shall not be used, published, or reproduced for marketing, advertising, promotion, or other purposes without the prior written consent of Alibaba Cloud. The names owned by Alibaba Cloud include, but are not limited to, "Alibaba Cloud", "Aliyun", "HiChina", and other brands of Alibaba Cloud and/or its affiliates, which appear separately or in combination, as well as the auxiliary signs and patterns of the preceding brands, or anything similar to the company names, trade names, trademarks, product or service names, domain names, patterns, logos, marks, signs, or special descriptions that third parties identify as Alibaba Cloud and/or its affiliates).
6. Please contact Alibaba Cloud directly if you discover any errors in this document.

Generic conventions

Table -1: Style conventions

Style	Description	Example
	This warning information indicates a situation that will cause major system changes, faults, physical injuries, and other adverse results.	 Danger: Resetting will result in the loss of user configuration data.
	This warning information indicates a situation that may cause major system changes, faults, physical injuries, and other adverse results.	 Warning: Restarting will cause business interruption. About 10 minutes are required to restore business.
	This indicates warning information, supplementary instructions, and other content that the user must understand.	 Notice: Take the necessary precautions to save exported data containing sensitive information.
	This indicates supplemental instructions, best practices, tips, and other content that is good to know for the user.	 Note: You can use Ctrl + A to select all files.
>	Multi-level menu cascade.	Settings > Network > Set network type
Bold	It is used for buttons, menus, page names, and other UI elements.	Click OK .
Courier font	It is used for commands.	Run the <code>cd / d C :/ windows</code> command to enter the Windows system folder.
<i>Italics</i>	It is used for parameters and variables.	<code>bae log list --instanceid <i>Instance_ID</i></code>
[] or [a b]	It indicates that it is an optional value, and only one item can be selected.	<code>ipconfig [-all -t]</code>

Style	Description	Example
<code>{}</code> or <code>{a b}</code>	It indicates that it is a required value, and only one item can be selected.	<code>swich {stand slave}</code>

Contents

Legal disclaimer.....	I
Generic conventions.....	I
1 Overview.....	1
2 Product pricing.....	2
3 Renewal.....	5
4 Expiration and overdue payments.....	6
5 Price of Subscription E-MapReduce, not including ECS (cent/ month per core).....	7
6 Price of Pay-As-You-Go E-MapReduce, not including ECS (cent/hour per core).....	20

1 Overview

The cost of an E-MapReduce product consists of the cost of ECS, the cost of the E-MapReduce , and the cost of the external network traffic of the Master node.



Notice:

If your cluster is large, submit a ticket to Alibaba Cloud to request a discount.

The overall cost of E-MapReduce consists of the following:

- Cost of ECS products

Alibaba Cloud Elastic Compute Service (ECS) comes included when you purchase an E-MapReduce cluster, meaning that you do not need to prepare ECS in advance . If you are entitled to a discount for ECS, this also applies to your purchase of E-MapReduce.

- Cost of E-MapReduce products

E-MapReduce provides multi-dimensional management services for clusters, including page display and control, API and SDK support, monitoring and alarms, O&M tools, and automatic back-end O&M. For detailed pricing information, please see [Price of Subscription](#), [Price of Pay-As-You-Go](#).

- Cost of the external network traffic of master nodes

In created clusters, 8 Mbps of public network bandwidth is available for master nodes (for an HA cluster, each of the two master nodes has 8 Mbps of bandwidth). Traffic is Pay-As-You-Go and is not included in the cost of the clusters. You are charged on an hourly basis for outbound traffic, but inbound traffic is free. For example, if in an hour you use 10 GB of outbound traffic on a public network, the charge is 10 x price per GB (in USD). Traffic fees may vary between regions. For more information, please see [ECS network prices](#).

2 Product pricing

Region: North China 2 / East China 1 / East China 2 / South China 1

Model	Number of cores	Memory (GB)	Price of E-MapReduce subscription (excluding the ECS price, unit: dollar)	Price of Pay-As-You-Go E-MapReduce (excluding the ECS price, unit: dollar/hour)
ecs.s2.large	2	4	11.8	0.0564
ecs.s3.large	4	8	24.84	0.1144
ecs.m1.medium	4	16	38.04	0.1984
ecs.m1.xlarge	8	32	77.32	0.3992
ecs.c1.large	8	16	50.96	0.2304
ecs.c2.large	16	32	103.16	0.462
ecs.c2.xlarge	16	64	155.88	0.7996
ecs.n1.medium	2	4	11.96	0.0532
ecs.n1.large	4	8	25.16	0.1084
ecs.n1.xlarge	8	16	51.52	0.218
ecs.n1.3xlarge	16	32	104.24	0.4376
ecs.n1.7xlarge	32	64	209.68	0.8772
ecs.n2.large	4	16	38.08	0.162
ecs.n2.xlarge	8	32	77.4	0.326
ecs.n2.3xlarge	16	64	156	0.6532
ecs.n2.7xlarge	32	128	313.16	1.3084

Region: US West 1 (Silicon Valley)

Model	Number of cores	Memory (GB)	Price of E-MapReduce subscription (excluding the ECS price, unit: dollar)	Price of Pay-As-You-Go E-MapReduce (excluding the ECS price, unit: dollar/hour)
ecs.s2.large	2	4	18.68	0.0364

Model	Number of cores	Memory (GB)	Price of E-MapReduce subscription (excluding the ECS price, unit: dollar)	Price of Pay-As-You-Go E-MapReduce (excluding the ECS price, unit: dollar/hour)
ecs.s3.large	4	8	22.96	0.0728
ecs.m1.medium	4	16	54.92	0.1068
ecs.m1.xlarge	8	32	109.84	0.2136
ecs.c1.large	8	16	47.12	0.1452
ecs.c2.large	16	32	95.44	0.29
ecs.c2.xlarge	16	64	219.68	0.4264
ecs.n1.medium	2	4	20.76	0.0404
ecs.n1.large	4	8	41.52	0.0808
ecs.n1.xlarge	8	16	83	0.1612
ecs.n1.3xlarge	16	32	166	0.3224
ecs.n1.7xlarge	32	64	331.96	0.6444
ecs.n2.large	4	16	61.04	0.1188
ecs.n2.xlarge	8	32	122.04	0.2372
ecs.n2.3xlarge	16	64	244.08	0.474
ecs.n2.7xlarge	32	128	488.16	0.9476

Region: Asia Pacific SE 1 (Singapore)

Model	Number of cores	Memory (GB)	Price of E-MapReduce subscription (excluding the ECS price, unit: dollar/hour)	Price of Pay-As-You-Go E-MapReduce (excluding the ECS price, unit: dollar/hour)
ecs.s2.large	2	4	22	0.0428
ecs.s3.large	4	8	43.96	0.0856
ecs.m1.medium	4	16	61.52	0.1196
ecs.m1.xlarge	8	32	123.04	0.2388
ecs.c1.large	8	16	87.88	0.1708

Model	Number of cores	Memory (GB)	Price of E-MapReduce subscription (excluding the ECS price, unit: dollar/hour)	Price of Pay-As-You-Go E-MapReduce (excluding the ECS price, unit: dollar/hour)
ecs.c2.large	16	32	175.76	0.3412
ecs.c2.xlarge	16	64	N/A	N/A
ecs.n1.medium	2	4	24.44	0.0476
ecs.n1.large	4	8	48.84	0.0948
ecs.n1.xlarge	8	16	97.64	0.1896
ecs.n1.3xlarge	16	32	195.28	0.3792
ecs.n1.7xlarge	32	64	390.56	0.758
ecs.n2.large	4	16	68.36	0.1328
ecs.n2.xlarge	8	32	136.72	0.2656
ecs.n2.3xlarge	16	64	273.4	0.5308
ecs.n2.7xlarge	32	128	546.76	1.0612

3 Renewal

Only Subscription clusters need to be renewed. Pay-As-You-Go clusters are billed hourly.

To renew a cluster, see [Cluster renewal](#).

4 Expiration and overdue payments

Expiration

While Pay-As-You-Go clusters cannot expire, Subscription clusters can.

If an ECS instance in a cluster expires, you are notified of its expiration. Expired ECS instances run for another 15 days. After this point, if your subscription is not renewed, the expired ECS instances stop, but data is retained for an additional 15 days. If after 30 days your subscription is not renewed, the instances are released and the data permanently deleted.

When E-MapReduce services expire, you can no longer perform operations on the cluster from the console or call APIs. Automatic O&M (including monitoring and alarms) is also stopped.

If you want to continue using E-MapReduce and ECS instances, you must renew your subscription. E-MapReduce and ECS instances can be renewed at the same time on the E-MapReduce product console. After renewal, data and services are both automatically restored.

If you want to release a cluster, wait for it to stop. ECS instances are released automatically, without the need for renewal.

Overdue payments

A payment is overdue when your balance is insufficient and you cannot pay for the expenses incurred in the last hour. It is not possible for a Subscription cluster to be overdue in its payment.

If one of your Pay-As-You-Go clusters has a payment overdue, E-MapReduce stops.

ECS instances in a cluster that has an overdue payment continue to run for 15 days, after which they stop. Data is retained for an additional 15 days. After this, if you do not make a payment, the instances are released and the data permanently deleted. E-MapReduce stops until the cluster is restored or released.

Others

Different clusters do not affect one another. For example, if you have a Subscription cluster and a Pay-As-You-Go cluster, the former is not impacted if the latter has a payment overdue.

5 Price of Subscription E-MapReduce, not including ECS (cent/month per core)



Notice:

"-" indicates that the region does not support the corresponding machine type, so there is no corresponding price.

Region: China

Type	cn-hongkong	cn-huhehaote	cn-qingdao	cn-zhangjiakou
basic	0.00	-	-	0.00
emr.c1	261.75	-	200.81	-
emr.c2	263.91	-	202.41	-
emr.c4	438.75	-	-	-
emr.c5	340.62	189.98	-	189.98
emr.ce4	660.08	-	-	-
emr.cm4	505.37	-	-	-
emr.d1	693.74	-	-	-
emr.d1-c14d3	577.17	-	-	-
emr.d1-c8d3	666.01	-	-	-
emr.d1ne	728.42	-	-	-
emr.d1ne-c14d3	212.11	-	-	137.77
emr.d1ne-c8d3	699.31	-	-	454.21
emr.e3	549.17	-	626.44	-
emr.e4	551.21	-	-	-
emr.ebmc4	-	-	-	208.95
emr.ebmg4	-	-	-	-
emr.ebmg5	425.41	-	-	275.16
emr.ebmhfg4	-	-	-	387.65
emr.ebmhfg5	-	-	-	422.94
emr.ebmr5	-	-	-	351.72

Type	cn-hongkong	cn-huhehaote	cn-qingdao	cn-zhangjiakou
emr.f1-c28f1	-	-	-	-
emr.f1-c8f1	-	-	-	-
emr.f2-c28f1	-	-	-	-
emr.f2-c8f1	-	-	-	-
emr.g5	425.41	275.10	-	275.10
emr.gal	-	-	-	-
emr.gn4	-	-	-	-
emr.gn5-c28g1	824.71	-	-	521.30
emr.gn5-c4g1	3090.53	-	-	1953.62
emr.gn5-c8g1	2205.25	-	-	1393.95
emr.hfc5	409.61	266.40	-	266.40
emr.hfg5	450.57	-	-	300.98
emr.i1	459.13	-	-	-
emr.i1-c10d1	493.04	-	-	-
emr.i1-c5d1	566.44	-	-	-
emr.i2	655.78	541.43	-	541.43
emr.m1	392.63	-	300.38	-
emr.m2	663.38	-	506.63	-
emr.mn4	407.66	-	-	-
emr.n1	311.25	-	244.31	-
emr.n2	388.86	-	365.63	-
emr.n4	326.81	-	-	-
emr.r5	551.88	351.68	-	351.68
emr.re4	-	-	-	-
emr.s2	654.75	-	500.25	-
emr.s3	257.63	-	197.63	-
emr.sccg5	-	-	-	288.91
emr.scch5	-	-	-	-
emr.sel	583.50	-	-	-

Type	cn-hongkong	cn-huhehaote	cn-qingdao	cn-zhangjiakou
emr.se1ne	612.68	377.58	-	377.58
emr.sn1	366.48	-	-	-
emr.sn1ne	384.79	-	-	209.08
emr.sn2	421.14	-	-	-
emr.sn2ne	442.20	294.99	-	294.99
emr.t5-c1m1	108.94	89.63	-	89.63
emr.t5-c1m2	151.05	125.18	-	125.18
emr.t5-c1m4	234.13	194.18	-	194.18
emr.t5-1c1m4	196.43	-	-	171.53

Region: United States

Type	us-east-1	us-west-1
basic	-	0.00
emr.c1	300.19	220.88
emr.c2	300.09	223.69
emr.c4	341.25	465.00
emr.c5	272.49	367.65
emr.ce4	537.75	607.80
emr.cm4	402.92	530.83
emr.d1	575.75	699.50
emr.d1-c14d3	479.01	581.96
emr.d1-c8d3	552.74	671.55
emr.d1ne	604.54	734.48
emr.d1ne-c14d3	176.03	213.87
emr.d1ne-c8d3	580.38	705.12
emr.e3	439.72	506.52
emr.e4	442.52	506.51
emr.ebmc4	-	-
emr.ebmg4	-	-

Type	us-east-1	us-west-1
emr.ebmg5	339.18	465.65
emr.ebmhfg4	-	-
emr.ebmhfg5	-	-
emr.ebmr5	-	-
emr.f1-c28f1	-	-
emr.f1-c8f1	-	-
emr.f2-c28f1	-	-
emr.f2-c8f1	-	-
emr.g5	339.18	465.65
emr.ga1	-	572.85
emr.gn4	-	-
emr.gn5-c28g1	744.98	819.48
emr.gn5-c4g1	2791.74	3070.91
emr.gn5-c8g1	1922.04	2191.24
emr.hfc5	327.69	442.11
emr.hfg5	360.46	486.32
emr.i1	368.30	443.69
emr.i1-c10d1	435.05	476.46
emr.i1-c5d1	499.82	547.40
emr.i2	556.58	613.80
emr.m1	413.25	514.88
emr.m2	-	-
emr.mn4	335.78	442.37
emr.n1	293.18	389.06
emr.n2	324.12	442.36
emr.n4	293.18	395.57
emr.r5	459.90	511.64
emr.re4	593.14	-
emr.s2	413.25	515.25
emr.s3	300.38	215.25

Type	us-east-1	us-west-1
emr.sccg5	-	-
emr.scch5	-	-
emr.se1	484.02	541.39
emr.se1ne	508.21	568.46
emr.sn1	293.18	395.57
emr.sn1ne	307.82	415.33
emr.sn2	336.05	442.60
emr.sn2ne	352.86	464.73
emr.t5-c1m1	90.66	126.68
emr.t5-c1m2	125.70	175.65
emr.t5-c1m4	195.23	272.63
emr.t5-1c1m4	163.73	228.68

Region: Europe

Type	eu-central-1
basic	-
emr.c1	-
emr.c2	-
emr.c4	431.25
emr.c5	340.62
emr.ce4	655.58
emr.cm4	532.69
emr.d1	686.13
emr.d1-c14d3	570.84
emr.d1-c8d3	658.71
emr.d1ne	720.44
emr.d1ne-c14d3	209.78
emr.d1ne-c8d3	691.65
emr.e3	-
emr.e4	546.36

Type	eu-central-1
emr.ebmc4	-
emr.ebmg4	-
emr.ebmg5	448.40
emr.ebmhfg4	-
emr.ebmhfg5	-
emr.ebmr5	-
emr.f1-c28f1	-
emr.f1-c8f1	-
emr.f2-c28f1	-
emr.f2-c8f1	-
emr.g5	448.40
emr.ga1	-
emr.gn4	-
emr.gn5-c28g1	893.97
emr.gn5-c4g1	3350.08
emr.gn5-c8g1	2390.44
emr.hfc5	409.61
emr.hfg5	450.57
emr.i1	475.28
emr.i1-c10d1	510.38
emr.i1-c5d1	586.37
emr.i2	655.43
emr.m1	-
emr.m2	-
emr.mn4	443.91
emr.n1	-
emr.n2	-
emr.n4	345.00
emr.r5	551.88
emr.re4	-

Type	eu-central-1
emr.s2	-
emr.s3	-
emr.sccg5	-
emr.scch5	-
emr.se1	575.60
emr.se1ne	604.38
emr.sn1	366.48
emr.sn1ne	384.79
emr.sn2	443.94
emr.sn2ne	466.13
emr.t5-c1m1	120.71
emr.t5-c1m2	167.40
emr.t5-c1m4	259.35
emr.t5-1c1m4	217.58

Region: Middle East

Type	me-east-1
basic	-
emr.c1	-
emr.c2	-
emr.c4	-
emr.c5	408.75
emr.ce4	-
emr.cm4	-
emr.d1	823.36
emr.d1-c14d3	685.01
emr.d1-c8d3	790.45
emr.d1ne	864.53
emr.d1ne-c14d3	-
emr.d1ne-c8d3	-

Type	me-east-1
emr.e3	750.00
emr.e4	-
emr.ebmc4	-
emr.ebmg4	-
emr.ebmg5	538.08
emr.ebmhfg4	-
emr.ebmhfg5	-
emr.ebmr5	-
emr.f1-c28f1	-
emr.f1-c8f1	-
emr.f2-c28f1	-
emr.f2-c8f1	-
emr.g5	538.08
emr.ga1	-
emr.gn4	-
emr.gn5-c28g1	631.34
emr.gn5-c4g1	4020.09
emr.gn5-c8g1	2868.53
emr.hfc5	491.55
emr.hfg5	540.68
emr.i1	-
emr.i1-c10d1	-
emr.i1-c5d1	-
emr.i2	786.53
emr.m1	-
emr.m2	-
emr.mn4	-
emr.n1	431.25
emr.n2	561.56
emr.n4	-

Type	me-east-1
emr.r5	662.26
emr.re4	-
emr.s2	-
emr.s3	-
emr.sccg5	-
emr.scch5	-
emr.se1	690.72
emr.se1ne	725.25
emr.sn1	439.77
emr.sn1ne	461.74
emr.sn2	532.73
emr.sn2ne	559.36
emr.t5-c1m1	144.86
emr.t5-c1m2	200.89
emr.t5-c1m4	311.23
emr.t5-lc1m4	261.15

Region: Asia Pacific

Type	ap-northeast-1	ap-south-1	ap-southeast-1	ap-southeast-2	ap-southeast-3	ap-southeast-5
basic	-	-	0.00	-	-	-
emr.c1	-	-	411.94	-	-	-
emr.c2	-	-	411.94	-	-	-
emr.c4	-	-	431.25	457.50	409.69	-
emr.c5	390.36	293.04	340.62	340.62	323.59	-
emr.ce4	-	-	660.08	655.58	627.08	-
emr.cm4	-	-	505.37	546.34	480.11	-
emr.d1	-	-	730.25	730.25	693.74	730.25
emr.d1-c14d3	-	-	607.55	607.55	-	607.55

Type	ap-northeast-1	ap-south-1	ap-southeast-1	ap-southeast-2	ap-southeast-3	ap-southeast-5
emr.d1-c8d3	-	-	701.07	701.07	-	701.07
emr.d1ne	790.69	728.43	766.77	766.77	728.43	766.77
emr.d1ne-c14d3	626.50	-	223.27	223.27	218.65	223.27
emr.d1ne-c8d3	722.94	-	736.12	736.12	720.85	736.12
emr.e3	-	-	549.17	-	-	-
emr.e4	546.36	-	551.21	546.36	-	-
emr.ebmc4	-	-	-	-	-	-
emr.ebmg4	-	-	-	-	-	-
emr.ebmg5	477.15	358.25	425.41	448.40	404.14	425.41
emr.ebmhfg4	-	-	-	-	-	-
emr.ebmhfg5	-	-	-	-	-	-
emr.ebmr5	-	-	-	-	-	-
emr.f1-c28f1	-	-	-	-	-	-
emr.f1-c8f1	-	-	-	-	-	-
emr.f2-c28f1	-	-	-	-	-	-
emr.f2-c8f1	-	-	-	-	-	-
emr.g5	477.15	358.25	425.41	448.40	404.14	-
emr.ga1	-	-	-	-	-	-
emr.gn4	-	-	-	-	-	-
emr.gn5-c28g1	875.08	631.34	868.11	821.11	824.72	868.11
emr.gn5-c4g1	3279.26	-	3253.20	3077.03	3090.54	3253.20
emr.gn5-c8g1	2339.92	-	2321.32	2195.62	2205.25	2321.32
emr.hfc5	469.43	352.39	409.61	409.61	389.14	409.61
emr.hfg5	516.36	387.63	450.57	450.57	428.04	450.57
emr.i1	-	464.43	483.29	483.29	459.13	483.29
emr.i1-c10d1	-	-	518.99	518.99	493.05	518.99
emr.i1-c5d1	-	-	596.26	596.26	566.45	596.26
emr.i2	645.00	317.29	665.78	665.78	632.55	665.78

Type	ap-northeast-1	ap-south-1	ap-southeast-1	ap-southeast-2	ap-southeast-3	ap-southeast-5
emr.m1	-	-	576.75	-	-	-
emr.m2	-	-	721.88	-	-	-
emr.mn4	472.37	-	421.14	455.29	-	-
emr.n1	-	-	366.48	-	-	-
emr.n2	-	-	409.32	-	-	-
emr.n4	420.00	229.73	366.47	390.90	348.15	366.47
emr.r5	551.88	471.50	551.88	551.88	524.29	-
emr.re4	-	-	965.52	-	-	-
emr.s2	-	-	576.75	-	-	-
emr.s3	-	-	412.13	-	-	-
emr.sccg5	-	-	-	-	-	-
emr.scch5	-	-	-	-	-	-
emr.se1	575.60	-	583.50	575.60	-	-
emr.se1ne	604.38	474.23	612.68	604.38	582.04	612.68
emr.sn1	420.00	-	366.48	390.91	-	-
emr.sn1ne	441.00	315.30	384.79	410.44	365.55	384.79
emr.sn2	472.08	-	421.14	455.30	-	-
emr.sn2ne	495.68	340.29	442.20	478.06	420.09	442.20
emr.t5-c1m1	129.81	97.63	114.66	123.86	108.94	114.66
emr.t5-c1m2	180.00	135.38	159.00	171.75	151.05	159.00
emr.t5-c1m4	279.08	270.68	246.45	266.55	234.13	246.45
emr.t5-1c1m4	234.08	236.85	206.70	223.58	196.43	206.70

Region: Other Region

Type	Other region
basic	0.00
emr.c1	223.13
emr.c2	224.91

Type	Other region
emr.c4	339.79
emr.c5	211.09
emr.ce4	501.77
emr.cm4	374.74
emr.d1	500.65
emr.d1-c14d3	-
emr.d1-c8d3	-
emr.d1ne	550.05
emr.d1ne-c14d3	153.08
emr.d1ne-c8d3	504.68
emr.e3	626.44
emr.e4	568.13
emr.ebmc4	232.16
emr.ebmg4	315.74
emr.ebmg5	305.56
emr.ebmhfg4	430.72
emr.ebmhfg5	469.93
emr.ebmr5	390.64
emr.f1-c28f1	355.95
emr.f1-c8f1	712.93
emr.f2-c28f1	391.06
emr.f2-c8f1	834.38
emr.g5	305.63
emr.ga1	395.07
emr.gn4	419.46
emr.gn5-c28g1	579.22
emr.gn5-c4g1	2170.69
emr.gn5-c8g1	1548.83
emr.hfc5	295.99
emr.hfg5	334.35

Type	Other region
emr.i1	220.59
emr.i1-c10d1	307.92
emr.i1-c5d1	709.06
emr.i2	601.53
emr.m1	334.13
emr.m2	563.25
emr.mn4	382.50
emr.n1	244.31
emr.n2	365.63
emr.n4	255.00
emr.r5	390.68
emr.re4	593.14
emr.s2	556.50
emr.s3	219.75
emr.sccg5	320.84
emr.scch5	435.75
emr.se1	399.87
emr.se1ne	419.53
emr.sn1	283.13
emr.sn1ne	232.31
emr.sn2	312.47
emr.sn2ne	327.76
emr.t5-c1m1	99.77
emr.t5-c1m2	138.41
emr.t5-c1m4	215.70
emr.t5-lc1m4	190.58

6 Price of Pay-As-You-Go E-MapReduce, not including ECS (cent/hour per core)



Notice:

"-" indicates that the region does not support the corresponding machine type, so there is no corresponding price.

Region: China

Type	cn-hongkong	cn-huhehaote	cn-qingdao	cn-zhangjiakou
basic	0.00	-	-	0.00
emr.c1	0.58	-	0.55	-
emr.c2	1.74	-	0.55	-
emr.c4	0.83	-	-	-
emr.c5	0.69	0.68	-	0.68
emr.ce4	1.42	-	-	-
emr.cm4	1.09	-	-	-
emr.d1	1.44	-	-	-
emr.d1-c14d3	1.20	-	-	-
emr.d1-c8d3	1.39	-	-	-
emr.d1ne	1.52	-	-	-
emr.d1ne-c14d3	0.44	-	-	0.48
emr.d1ne-c8d3	1.46	-	-	1.58
emr.e3	1.19	-	-	-
emr.e4	1.19	-	-	-
emr.ebmc4	-	-	-	-
emr.ebmg4	-	-	-	-
emr.ebmg5	0.94	-	-	1.22
emr.ebmhfg4	-	-	-	-
emr.ebmhfg5	-	-	-	-
emr.ebmr5	-	-	-	1.00

Type	cn-hongkong	cn-huhehaote	cn-qingdao	cn-zhangjiakou
emr.f1-c28f1	-	-	-	-
emr.f1-c8f1	-	-	-	-
emr.f2-c28f1	-	-	-	-
emr.f2-c8f1	-	-	-	-
emr.g5	0.94	0.98	-	0.98
emr.gal	-	-	-	-
emr.gn4	-	-	-	-
emr.gn5-c28g1	1.72	-	-	1.81
emr.gn5-c4g1	6.44	-	-	-
emr.gn5-c8g1	3.88	-	-	-
emr.hfc5	0.83	0.94	-	0.94
emr.hfg5	0.91	-	-	1.04
emr.i1	0.96	-	-	-
emr.i1-c10d1	1.03	-	-	-
emr.i1-c5d1	1.18	-	-	-
emr.i2	1.34	1.88	-	1.88
emr.m1	0.87	-	-	-
emr.m2	3.19	-	-	-
emr.mn4	0.79	-	-	-
emr.n1	0.60	-	-	-
emr.n2	0.75	-	-	-
emr.n4	0.63	-	-	-
emr.r5	1.20	1.20	-	1.20
emr.re4	-	-	-	-
emr.s2	0.87	-	-	-
emr.s3	0.58	-	-	-
emr.sccg5	-	-	-	1.11
emr.scch5	-	-	-	-
emr.sel	1.19	-	-	-

Type	cn-hongkong	cn-huhehaote	cn-qingdao	cn-zhangjiakou
emr.se1ne	1.24	1.28	-	1.28
emr.sn1	0.71	-	-	-
emr.sn1ne	0.74	-	-	0.71
emr.sn2	0.92	-	-	-
emr.sn2ne	0.97	1.05	-	1.05
emr.t5-c1m1	0.24	0.32	-	0.32
emr.t5-c1m2	0.34	0.45	-	0.45
emr.t5-c1m4	0.57	0.68	-	0.68
emr.t5-1c1m4	0.44	-	-	0.60

Region: United States

Type	us-east-1	us-west-1
basic	-	0.00
emr.c1	0.58	0.43
emr.c2	0.58	0.44
emr.c4	0.71	0.90
emr.c5	0.59	0.74
emr.ce4	1.18	1.32
emr.cm4	0.86	1.01
emr.d1	1.20	1.46
emr.d1-c14d3	1.00	1.21
emr.d1-c8d3	1.15	1.40
emr.d1ne	1.26	1.53
emr.d1ne-c14d3	0.37	0.45
emr.d1ne-c8d3	1.21	1.47
emr.e3	0.98	1.10
emr.e4	0.98	1.10
emr.ebmc4	-	-
emr.ebmg4	-	-

Type	us-east-1	us-west-1
emr.ebmg5	0.75	0.88
emr.ebmhfg4	-	-
emr.ebmhfg5	-	-
emr.ebmr5	-	-
emr.f1-c28f1	-	-
emr.f1-c8f1	-	-
emr.f2-c28f1	-	-
emr.f2-c8f1	-	-
emr.g5	0.75	0.88
emr.ga1	-	1.04
emr.gn4	-	-
emr.gn5-c28g1	1.55	1.71
emr.gn5-c4g1	5.81	6.40
emr.gn5-c8g1	3.50	3.85
emr.hfc5	0.71	0.89
emr.hfg5	0.79	0.98
emr.i1	0.85	0.93
emr.i1-c10d1	0.91	0.99
emr.i1-c5d1	1.04	1.14
emr.i2	1.12	1.23
emr.m1	0.80	1.00
emr.m2	-	-
emr.mn4	0.66	0.86
emr.n1	0.60	0.76
emr.n2	0.62	0.86
emr.n4	0.63	0.79
emr.r5	1.00	1.11
emr.re4	1.25	-
emr.s2	0.80	1.01
emr.s3	0.59	0.42

Type	us-east-1	us-west-1
emr.sccg5	-	-
emr.scch5	-	-
emr.se1	0.98	1.10
emr.se1ne	1.03	1.15
emr.sn1	0.63	0.79
emr.sn1ne	0.66	0.83
emr.sn2	0.74	0.86
emr.sn2ne	0.77	0.90
emr.t5-c1m1	0.21	0.24
emr.t5-c1m2	0.29	0.34
emr.t5-c1m4	0.45	0.53
emr.t5-lic1m4	0.37	0.44

Region: Europe

Type	eu-central-1
basic	-
emr.c1	-
emr.c2	-
emr.c4	0.83
emr.c5	0.68
emr.ce4	1.42
emr.cm4	1.05
emr.d1	1.43
emr.d1-c14d3	1.19
emr.d1-c8d3	1.37
emr.d1ne	1.50
emr.d1ne-c14d3	0.44
emr.d1ne-c8d3	1.44
emr.e3	-
emr.e4	1.19

Type	eu-central-1
emr.ebmc4	-
emr.ebmg4	-
emr.ebmg5	0.90
emr.ebmhfg4	-
emr.ebmhfg5	-
emr.ebmr5	-
emr.f1-c28f1	-
emr.f1-c8f1	-
emr.f2-c28f1	-
emr.f2-c8f1	-
emr.g5	0.90
emr.ga1	-
emr.gn4	-
emr.gn5-c28g1	1.86
emr.gn5-c4g1	6.98
emr.gn5-c8g1	4.20
emr.hfc5	0.81
emr.hfg5	0.90
emr.i1	0.99
emr.i1-c10d1	1.06
emr.i1-c5d1	1.22
emr.i2	1.33
emr.m1	-
emr.m2	-
emr.mn4	0.89
emr.n1	-
emr.n2	-
emr.n4	0.65
emr.r5	1.20
emr.re4	-

Type	eu-central-1
emr.s2	-
emr.s3	-
emr.sccg5	-
emr.scch5	-
emr.se1	1.19
emr.se1ne	1.24
emr.sn1	0.72
emr.sn1ne	0.75
emr.sn2	0.89
emr.sn2ne	0.92
emr.t5-c1m1	0.23
emr.t5-c1m2	0.32
emr.t5-c1m4	0.53
emr.t5-1c1m4	0.42

Region: Middle East

Type	me-east-1
basic	-
emr.c1	-
emr.c2	-
emr.c4	-
emr.c5	0.81
emr.ce4	-
emr.cm4	-
emr.d1	1.71
emr.d1-c14d3	1.43
emr.d1-c8d3	1.65
emr.d1ne	1.80
emr.d1ne-c14d3	-
emr.d1ne-c8d3	-

Type	me-east-1
emr.e3	1.41
emr.e4	-
emr.ebmc4	-
emr.ebmg4	-
emr.ebmg5	1.08
emr.ebmhfg4	-
emr.ebmhfg5	-
emr.ebmr5	-
emr.f1-c28f1	-
emr.f1-c8f1	-
emr.f2-c28f1	-
emr.f2-c8f1	-
emr.g5	1.08
emr.ga1	-
emr.gn4	-
emr.gn5-c28g1	1.32
emr.gn5-c4g1	8.37
emr.gn5-c8g1	5.04
emr.hfc5	0.98
emr.hfg5	1.08
emr.i1	-
emr.i1-c10d1	-
emr.i1-c5d1	-
emr.i2	1.60
emr.m1	-
emr.m2	-
emr.mn4	-
emr.n1	0.81
emr.n2	1.04
emr.n4	-

Type	me-east-1
emr.r5	1.44
emr.re4	-
emr.s2	-
emr.s3	-
emr.sccg5	-
emr.scch5	-
emr.se1	1.43
emr.se1ne	1.49
emr.sn1	0.87
emr.sn1ne	0.91
emr.sn2	1.07
emr.sn2ne	1.12
emr.t5-c1m1	0.28
emr.t5-c1m2	0.39
emr.t5-c1m4	0.63
emr.t5-lc1m4	0.51

Region: Asia Pacific

Region: Asia Pacific	ap-northeast-1	ap-south-1	ap-southeast-1	ap-southeast-2	ap-southeast-3	ap-southeast-5
basic	-	-	0.00	-	-	-
emr.c1	-	-	0.80	-	-	-
emr.c2	-	-	0.80	-	-	-
emr.c4	-	-	0.86	0.98	0.82	-
emr.c5	0.75	0.59	0.69	0.68	0.65	-
emr.ce4	-	-	1.42	1.42	1.35	-
emr.cm4	-	-	1.09	1.09	1.04	-
emr.d1	-	-	1.52	1.52	1.45	1.52
emr.d1-c14d3	1.31	-	1.27	1.27	-	1.27

Region: Asia Pacific	ap-northeast-1	ap-south-1	ap-southeast-1	ap-southeast-2	ap-southeast-3	ap-southeast-5
emr.d1-c8d3	1.51	-	1.46	1.46	-	1.46
emr.d1ne	1.65	1.52	1.60	1.60	1.52	1.60
emr.d1ne-c14d3	-	-	0.47	0.47	0.46	0.47
emr.d1ne-c8d3	-	-	1.53	1.53	1.50	1.53
emr.e3	-	-	1.19	-	-	-
emr.e4	1.19	-	1.19	1.19	-	-
emr.ebmc4	-	-	-	-	-	-
emr.ebmg4	-	-	-	-	-	-
emr.ebmg5	0.97	0.79	0.94	0.90	0.89	0.94
emr.ebmhfg4	-	-	-	-	-	-
emr.ebmhfg5	-	-	-	-	-	-
emr.ebmr5	-	-	-	-	-	-
emr.f1-c28f1	-	-	-	-	-	-
emr.f1-c8f1	-	-	-	-	-	-
emr.f2-c28f1	-	-	-	-	-	-
emr.f2-c8f1	-	-	-	-	-	-
emr.g5	0.97	0.79	0.94	0.90	0.89	-
emr.ga1	-	-	-	-	-	-
emr.gn4	-	-	-	-	-	-
emr.gn5-c28g1	1.82	1.32	1.81	1.71	1.72	1.81
emr.gn5-c4g1	6.83	-	6.78	6.41	6.44	6.78
emr.gn5-c8g1	4.11	-	4.08	3.86	3.88	4.08
emr.hfc5	0.90	0.71	0.83	0.81	0.78	0.83
emr.hfg5	0.99	0.79	0.91	0.90	0.86	0.91
emr.i1	-	0.96	1.01	1.01	0.96	1.01
emr.i1-c10d1	-	-	1.08	1.08	1.03	1.08
emr.i1-c5d1	-	-	1.24	1.24	1.18	1.24
emr.i2	1.31	1.27	1.34	1.34	1.28	1.34

Region: Asia Pacific	ap-northeast-1	ap-south-1	ap-southeast-1	ap-southeast-2	ap-southeast-3	ap-southeast-5
emr.m1	-	-	1.12	-	-	-
emr.m2	-	-	1.40	-	-	-
emr.mn4	0.95	-	0.83	0.92	-	-
emr.n1	-	-	0.74	-	-	-
emr.n2	-	-	0.80	-	-	-
emr.n4	0.80	-	0.74	0.80	0.70	0.74
emr.r5	1.20	1.03	1.20	1.20	1.14	-
emr.re4	-	-	1.81	-	-	-
emr.s2	-	-	1.13	-	-	-
emr.s3	-	-	0.80	-	-	-
emr.sccg5	-	-	-	-	-	-
emr.scch5	-	-	-	-	-	-
emr.se1	1.19	-	1.19	1.19	-	-
emr.se1ne	1.24	-	1.24	1.24	1.18	1.24
emr.sn1	0.80	-	0.74	0.83	-	-
emr.sn1ne	0.84	-	0.77	0.87	0.73	0.77
emr.sn2	0.95	-	0.92	0.92	-	-
emr.sn2ne	1.00	-	0.97	0.97	0.92	0.97
emr.t5-c1m1	0.27	-	0.26	0.26	0.24	0.26
emr.t5-c1m2	0.37	-	0.35	0.35	0.34	0.35
emr.t5-c1m4	0.60	-	0.60	0.60	0.57	0.60
emr.t5-lc1m4	0.48	-	0.46	0.46	0.44	0.46

Region: Other Region

Type	Other region
basic	0.00
emr.c1	0.57
emr.c2	0.57

Type	Other region
emr.c4	1.50
emr.c5	0.75
emr.ce4	2.74
emr.cm4	1.91
emr.d1	1.74
emr.d1-c14d3	-
emr.d1-c8d3	-
emr.d1ne	1.91
emr.d1ne-c14d3	0.53
emr.d1ne-c8d3	1.75
emr.e3	1.90
emr.e4	1.98
emr.ebmc4	0.81
emr.ebmg4	1.10
emr.ebmg5	1.06
emr.ebmhfg4	1.50
emr.ebmhfg5	1.63
emr.ebmr5	1.36
emr.f1-c28f1	1.24
emr.f1-c8f1	2.48
emr.f2-c28f1	1.36
emr.f2-c8f1	2.91
emr.g5	1.05
emr.ga1	1.20
emr.gn4	1.27
emr.gn5-c28g1	2.01
emr.gn5-c4g1	7.54
emr.gn5-c8g1	4.54
emr.hfc5	1.01
emr.hfg5	1.35

Type	Other region
emr.i1	1.61
emr.i1-c10d1	1.72
emr.i1-c5d1	1.97
emr.i2	2.10
emr.m1	1.12
emr.m2	1.85
emr.mn4	1.19
emr.n1	0.74
emr.n2	1.12
emr.n4	0.78
emr.r5	1.35
emr.re4	2.06
emr.s2	1.12
emr.s3	0.76
emr.sccg5	1.11
emr.scch5	1.51
emr.se1	1.68
emr.se1ne	1.43
emr.sn1	0.99
emr.sn1ne	0.83
emr.sn2	1.32
emr.sn2ne	1.13
emr.t5-c1m1	0.34
emr.t5-c1m2	0.49
emr.t5-c1m4	0.75
emr.t5-lc1m4	0.68