

# Alibaba Cloud Global Acceleration

## Product Introduction

Issue: 20181120

# Legal disclaimer

---

Alibaba Cloud reminds you to carefully read and fully understand the terms and conditions of this legal disclaimer before you read or use this document. If you have read or used this document, it shall be deemed as your total acceptance of this legal disclaimer.

1. You shall download and obtain this document from the Alibaba Cloud website or other Alibaba Cloud-authorized channels, and use this document for your own legal business activities only. The content of this document is considered confidential information of Alibaba Cloud. You shall strictly abide by the confidentiality obligations. No part of this document shall be disclosed or provided to any third party for use without the prior written consent of Alibaba Cloud.
2. No part of this document shall be excerpted, translated, reproduced, transmitted, or disseminated by any organization, company, or individual in any form or by any means without the prior written consent of Alibaba Cloud.
3. The content of this document may be changed due to product version upgrades, adjustments, or other reasons. Alibaba Cloud reserves the right to modify the content of this document without notice and the updated versions of this document will be occasionally released through Alibaba Cloud-authorized channels. You shall pay attention to the version changes of this document as they occur and download and obtain the most up-to-date version of this document from Alibaba Cloud-authorized channels.
4. This document serves only as a reference guide for your use of Alibaba Cloud products and services. Alibaba Cloud provides the document in the context that Alibaba Cloud products and services are provided on an "as is", "with all faults" and "as available" basis. Alibaba Cloud makes every effort to provide relevant operational guidance based on existing technologies. However, Alibaba Cloud hereby makes a clear statement that it in no way guarantees the accuracy, integrity, applicability, and reliability of the content of this document, either explicitly or implicitly. Alibaba Cloud shall not bear any liability for any errors or financial losses incurred by any organizations, companies, or individuals arising from their download, use, or trust in this document. Alibaba Cloud shall not, under any circumstances, bear responsibility for any indirect, consequential, exemplary, incidental, special, or punitive damages, including lost profits arising from the use or trust in this document, even if Alibaba Cloud has been notified of the possibility of such a loss.
5. By law, all the content of the Alibaba Cloud website, including but not limited to works, products, images, archives, information, materials, website architecture, website graphic layout, and webpage design, are intellectual property of Alibaba Cloud and/or its affiliates. This intellectual property includes, but is not limited to, trademark rights, patent rights, copyrights, and trade








secrets. No part of the Alibaba Cloud website, product programs, or content shall be used, modified, reproduced, publicly transmitted, changed, disseminated, distributed, or published without the prior written consent of Alibaba Cloud and/or its affiliates. The names owned by Alibaba Cloud shall not be used, published, or reproduced for marketing, advertising, promotion, or other purposes without the prior written consent of Alibaba Cloud. The names owned by Alibaba Cloud include, but are not limited to, "Alibaba Cloud", "Aliyun", "HiChina", and other brands of Alibaba Cloud and/or its affiliates, which appear separately or in combination, as well as the auxiliary signs and patterns of the preceding brands, or anything similar to the company names, trade names, trademarks, product or service names, domain names, patterns, logos, marks, signs, or special descriptions that third parties identify as Alibaba Cloud and/or its affiliates).

6. Please contact Alibaba Cloud directly if you discover any errors in this document.



# Generic conventions

Table -1: Style conventions

| Style   | Description  | Example  |
|---|--|--|
|  | This warning information indicates a situation that will cause major system changes, faults, physical injuries, and other adverse results. |  <b>Danger:</b><br>Resetting will result in the loss of user configuration data.                                    |
|  | This warning information indicates a situation that may cause major system changes, faults, physical injuries, and other adverse results.  |  <b>Warning:</b><br>Restarting will cause business interruption. About 10 minutes are required to restore business. |
|  | This indicates warning information, supplementary instructions, and other content that the user must understand.                           |  <b>Note:</b><br>Take the necessary precautions to save exported data containing sensitive information.             |
|   | This indicates supplemental instructions, best practices, tips, and other content that is good to know for the user.                       |  <b>Note:</b><br>You can use <b>Ctrl + A</b> to select all files.   |
| >   | Multi-level menu cascade.  | <b>Settings &gt; Network &gt; Set network type</b>   |
| <b>Bold</b>   | It is used for buttons, menus, page names, and other UI elements.  | Click <b>OK</b> .  |
| Courier font  | It is used for commands.   | Run the <code>cd /d C:/windows</code> command to enter the Windows system folder.  |
| <i>Italics</i>  | It is used for parameters and variables.   | <code>bae log list --instanceid Instance_ID</code>   |
| [] or [a b]   | It indicates that it is a optional value, and only one item can be selected.   | <code>ipconfig [-all -t]</code>  |
| { } or {a b}  | It indicates that it is a required value, and only one item can be selected.   | <code>swich {stand / slave}</code>   |

# Contents

---


|  |          |
|--|----------|
| <b>Legal disclaimer.....</b>               | <b>I</b> |
| <b>Generic conventions.....</b>            | <b>I</b> |
| <b>1 What is Global Acceleration?.....</b> | <b>1</b> |
| <b>2 Benefits.....</b>                     | <b>4</b> |
| <b>3 Limits.....</b>                       | <b>5</b> |

# 1 What is Global Acceleration?

Global Acceleration is a network acceleration product. Based on the Alibaba Cloud network, Global Acceleration uses access points worldwide to speed up Internet access to services hosted in one region for users located in other regions. It reduces the impact of network issues like latency, jitters, and packet loss on service, and provides a superior experience for global service users.

Before using Global Acceleration, you must buy and create a Global Acceleration instance. A Global Acceleration instance can accelerate the Internet access of your services for users worldwide. As shown in the following figure, you can create a Global Acceleration instance to accelerate the Internet access for applications deployed on an ECS instance or an SLB instance located in one region for users located in other regions. In this case, the services of applications deployed on instances in the China (Beijing) region are accelerated for users in the Western United States regions.

Currently, Global Acceleration only supports accelerating the access to applications deployed in ECS instances and SLB instances of the VPC network.



## Accelerated Area

An *accelerated area* is an area that requires faster access over the Internet to your service. It consists of one or more Alibaba Cloud regions. Select an accelerated area to optimize service access for your customers there. After selecting an accelerated area, you must select the specific region within the acceleration area where the Global Acceleration instance is created. Users in the instance region will experience the greatest improvement to their service, and so we recommend selecting the region that has the greatest number of users.

Each accelerated area contains one or more Alibaba Cloud regions, as shown in the following table.



### Note:

If you want to select Asia and Europe as the accelerated area, contact your customer manager.

For example, if you want to accelerate the Internet access to your service for users in North America, then select North America as the accelerated area when you create a Global Acceleration instance. A public IP is allocated to the Global Acceleration instance in the selected region for users in North America to access your service.

| Accelerated area | Included regions   |
|------------------|--|
| Mainland China   | China (Qingdao)<br>China (Beijing)<br>China (Zhangjiakou)<br>China (Hangzhou)<br>China East 2 (Shanghai)<br>China (Shenzhen) |
| Asia Pacific     | China (Hong Kong)<br>Singapore<br>Japan (Tokyo)  |
| North America    | US (Silicon Valley)<br>US (Virginia)   |
| Europe           | Germany (Frankfurt)  |

### Service Area

A *service area* is an area where the ECS instance or the SLB instance that hosts the backend service to be accelerated, is located. You must specify a service area when creating a Global Acceleration instance, and you cannot change it after the instance is created.

A service area is a collection of Alibaba Cloud regions. Each service area contains one or more regions as shown in the following table.

For example, if the website to have accelerated access is deployed in an ECS instance in China (Beijing), then select China Mainland as the service area when you create a Global Acceleration instance.

| Service area   | Included regions   |
|----------------|--|
| Mainland China | China (Qingdao)<br>China (Beijing)<br>China (Zhangjiakou)<br>China (Hangzhou)<br>China East 2 (Shanghai)<br>China (Shenzhen) |
| Asia Pacific   | China (Hong Kong)  |



| Service area  | Included regions                     |
|---------------|--------------------------------------|
|               | Singapore<br>Japan (Tokyo)           |
| North America | US (Silicon Valley)<br>US (Virginia) |
| Europe        | Germany (Frankfurt)                  |

### Backend service

A backend service is the service that you want to accelerate. You can bind an ECS instance or an SLB instance to a Global Acceleration instance.

**Note:**

The backend service must be located in the region of the selected service area.

## 2 Benefits

---

Global Acceleration is easy to configure. You can bind the backend service that you want to accelerate to a Global Acceleration instance at any time. The configuration takes effect immediately.

Global Acceleration has the following benefits:

- Independently purchased and owned
  - You can purchase a Global Acceleration instance as an independent resource, instead of bundling with other computing resources or storage resources.
  - Each Global Acceleration instance is an independent resource under your account.

- Elastic binding

You can bind a backend service to a Global Acceleration instance to accelerate the Internet access, and unbind that backend service whenever the Internet acceleration is no longer required.

- Configurable network capabilities

You can adjust the bandwidth of a Global Acceleration instances based on your business needs. Changes take effect in real time.

- The bandwidth range is 10-1000 Mbps. The maximum bandwidth that a Global Acceleration instance can use to access a backend service is 1000 Mbps and the minimum bandwidth is 10 Mbps. Contact your customer manager to apply for a larger bandwidth.
- If the bandwidth is between 10-100 Mbps, the gradient is 10 Mbps.
- If the bandwidth is larger than 100 Mbps, the gradient is 100 Mbps.

## 3 Limits

---

| Resource   | Default limit                            | Can apply for a higher quota? |
|--|--|-------------------------------|
| Number of Global Acceleration instances per account                        | 5  | Submit a ticket               |
| Supported backend services   | ECS and SLB instances of the VPC network | No                            |
| Number of backend services per dedicated-bandwidth instance                | 1  | No                            |
| Number of Global Acceleration instances that a backend service can bind to | 20                                       | Submit a ticket               |